

Woodworking tips

Turning a Tulip

by John Wolf

I was visiting a woodworking store the other day and spotted a turned tulip sitting on a shelf. I don't recall seeing plans for turning one of these, so I hope you find this helpful.



I start with a piece of square straight-grained wood. In this case I'm using stock ripped from a piece of scrap 2 X 4 construction lumber. I have made these tulips in several sizes, but I like those from 1-inch square stock the best. I cut the piece about 6 inches long. The jaws on my chuck will securely hold this size of square stock directly without having to turn a spigot first. Your chuck may require a different approach to hold the stock securely.

The end of the stock that will become the blossom end of the tulip must have a centerline marked down two adjacent sides for about 1 inch in length.





Use a French curve to draw a visually pleasing curve from one end of the centerline to the corner. Flip the French curve over to the other side of that same face of the blank and repeat the process. This forms a curved "V" shape centered on the side with the mouth of the "V" at the end of the blank. Repeat this layout process on the adjacent side.



Use a scroll saw, coping saw or similar tool to cut along the "V" shaped curves you have just drawn.


Flip the block and cut out the other "V." This creates the mouth of the tulip flower.



Mount the blank in your chuck with the recently cut end on the tailstock side.



Using a sharp spindle gouge delicately turn the flower shape starting at the very tip of the flower. The tip has only a small amount of wood that needs to be removed. Proceed with care! Further down the flower there is more wood to be removed. With the wood spinning it is easy to see the cut out shape of the "V" that will help you gauge when the profile is "OK".



Stop the lathe periodically to determine whether you have made the flower round without remaining flat spots.



Continue turning the flower until you have a shape that is approximately like a tulip. Gently sand the turned contour, and then stop the lathe to sand the saw-cut surfaces as well.

Turn the first 1/2 inch of the flower's stem just below the bowl. I reduce it to a diameter that looks appropriate rather than measuring it. That said, mine are generally between 1/8 and 3/16 diameter. Once you have done this first section of stem, proceed to turn the next 1/2 inch down to its finished diameter. Repeat this process until you have made all the stem you can without running into your chuck. Turning the stem in this step-wise fashion greatly reduces the risk of breaking it.



Remove your tulip from the chuck. You may find your tulip quite satisfactory and without need of further embellishment. I often color mine, however, typically with water based transparent stains. Sometimes I glue the bases of several together for a grouping. On other occasions I have cut the stems free from the turning base and placed them in a turned weed pot.

This information is provided by, More Woodturning Magazine. Please visit their website www.morewoodturningmagazine.com

For Sale on behalf of the Guild.

Tanner lathe model FS100 \$600 bare lathe, or \$800 including Chuck.

contact Doug 573 8399

Wood for sale;

Contact Mike McCarthy 575 2991

Terry Scott Ph. 09 297 7051

Email; timberly@xtra.co.nz

Web; www.timberlywoodturning.co.nz



This Club/Guild aims to assist members to improve their working skills. Not all such activities occur in our Guild premises, and some activities or events are promoted through this Newsletter and others directly to members in some other ways, but are still Club/Guide activities, please support them. These activities may include personal and Group tuition of members by other members (we all try to help one another for the benefit of the Club/Guild in this way) sessions in members' workshops, wood-gathering, our activities to members of the public, and other such activities and events.



MOUNT MAUNGANUI

**1/130 Newton Street, Mt.
Maunganui 3116**

Phone (07)574 9980 Fax (07) 574
99850

Proudly providing the means for the

Guild to create and clean up
sawdust and wood chips, since



2006.

Ross FM300 Dust

Extractor \$499.00

J-Max

**Sharpening Service
Ltd**

Your supplier of
sawblades
Bandsaw Blades
Router Bits

99 Maleme Street Tauranga
Phone 07 541 1655
Fax 07 541 1652

TAURANGA SENIORNET
CLUB INC Ph. 577 1912

Website;
[www.taurangaseniornet
.co.nz](http://www.taurangaseniornet.co.nz)
P.O. Box 152382
Tauranga

Where seniors learn
Computing from other
seniors;

Our courses are,
2 hours, one day a
week, and range from
4-5 weeks per course.

Our Learning Centre is
at Unit 70, Historic
Village, 17th Avenue,
Tauranga. That's just
uphill in the now-
closed Wickham
School. We have our
own drive-in entrance.
Turn right once



NOW AVAILABLE AT CARBA-TEC® NZ

NOVA™ congratulates Carba-Tec® NZ Ltd on their NEW exclusive
NOVA™ distributorship in New Zealand.

NOVA™ products are now available throughout New Zealand online and via
catalogue, as well as through the Carba-Tec® extensive network of partner resellers.



Online and catalogue www.carbatec.co.nz

Or see their comprehensive showroom: 110 Harris Rd, East Tamaki, Auckland
9:30am - 5:00pm Monday to Friday, 9:00am - 12:00pm Saturday
Ph 0800 444 329 or 09 274 9454 Fax 09 274 9455



Treeworkx.sandpaper

Ron & Heather Wallace-Wells

Email: treeworkx@xtra.co.nz Phone: 0-7-888 4396
Address: 3 Puriri Place, Matamata 3400, New Zealand

Treeworkx.wood

Graham Oliver

email: goliver@no8wireless.co.nz Phone: 0-7-888 3800
Address: 469 Paratu Road, RD, Walton 3475, New Zealand

Disclaimer; the contents of this Newsletter are not necessarily the views of the Guild or the Committee